



## Our Brands







Safety Products





### Safety **Shoes**

SS6D038



**BRAND**VORKIL

#### **UPPER MATERIAL**

Cow split leather upper with steel toe

#### **SOLE MATERIAL**

Double density PU sole with steel mid-sole

#### **COLOR**

Black

#### SIZE

39 - 46

#### **STANDARD**

BS EN 20345:2011 S3 SRC Anti slip/anti puncture/anti impact 6 Months Warrenty

#### **QUANTITY**

10 pairs per carton

#### SS047



#### **BRAND**

EAGLE (GREATWALL)

#### **UPPER MATERIAL**

Cow split leather upper with 200 joules steel toe

#### **SOLE MATERIAL**

Double density PU sole with flexible steel mid-sole

#### COLOR

Black

#### SIZE

39 - 46

#### **STANDARD**

BS EN 20345:2011 SBP Anti slip/anti puncture/anti impact

#### **QUANTITY**

10 pairs per carton



### Safety **Shoes**

#### CADOR S3 LOW TLS



**UPPER** 

Synthetic Nubuck

LINING

3D-Mesh

**FOOTBED** 

SJ foam footbed

**MIDSOLE** 

Steel

**OUTSOLE** 

PU/PU

**TOECAP** 

Steel

**NORMS** 

ASTM F2413:2018 EN ISO 20345:2011

**SIZE RANGE** 

EU 35-48 / UK 3.0-13.0 / US 3.0-13.5 JPN 21.5-31.5 / KOR 230-315

**WEIGHT** 

0.580 kg

X2000 S3



**UPPER** 

Suede Leather, Textile

LINING

Mesh

**FOOTBED** 

SJ foam footbed

**MIDSOLE** 

Steel

**OUTSOLE** 

PU

**TOECAP** 

Steel

**NORMS** 

ASTM F2413:2018 EN ISO 20345:2011

**SIZE RANGE** 

EU 36-48 / UK 3.5-13.0 / US 4.0-13.5 JPN 22.5-31.5 / KOR 235-315

**WEIGHT** 

0.654 kg



## Safety **Shoes**

#### SAFETYSTAR S3



**UPPER** 

Barton Action Leather

LINING

Mesh

**FOOTBED** 

SJ Eco

**MIDSOLE** 

Steel

**OUTSOLE** 

PU

**TOECAP** 

Steel

**NORMS** 

ASTM F2413:2018 EN ISO 20345:2011

**SIZE RANGE** 

EU 35-48 / UK 3.0-13.0 / US 3.0-13.5 JPN 21.5-31.5 / KOR 230-315

**WEIGHT** 

0.610 kg

SAHARA S3



**UPPER** 

Pull-up Leather, Textile

LINING

Mesh

**FOOTBED** 

SJ foam footbed

**MIDSOLE** 

Steel

**OUTSOLE** 

PU/PU

**TOECAP** 

Steel

**NORMS** 

ASTM F2413:2018 EN ISO 20345:2011

**SIZE RANGE** 

EU 36-47/UK 3.5-12.0 / US 4.0-13.0 JPN 22.5-31 / KOR 235-310

**WEIGHT** 

0.655 kg





## Safety **Vest**

#### VK001V



#### **BRAND**

VORKIL

#### **MATERIAL**

120gsm 100% knitted polyester

#### **REFLECTIVE TAPES**

4 tapes in 5 cm width

#### **MATERIAL**

2 chest pocket & 2 bottom pockets

#### **COLOR**

Yellow / Orange



Zipper

#### **STANDARD**

EN ISO 20471:2013 / +A1:2016 / ANSI 107-2015

#### **QUANTITY**

50 pieces per carton

#### VK002V



#### **BRAND**

VORKIL

#### **MATERIAL**

120gsm 100% knitted polyester

#### **REFLECTIVE TAPES**

4 tapes in 5 cm width

#### **MATERIAL**

2 chest pocket & 2 bottom pockets

#### COLOR

Yellow / Orange



#### CLOSURE

Zipper

#### **STANDARD**

EN ISO 20471:2013 / +A1:2016 / ANSI 107-2015

#### **QUANTITY**

50 pieces per carton





### Safety **Helmet**

SH104



## **BRAND**GREATEAGLE

CHELL MATERIA

#### SHELL MATERIAL

HDPE

#### **SUSPENSION**

4 points textile and adjustable ratchet with round pad on top size range 53-61cm

#### **COLOR**

Blue / Yellow / White / Green / Red









#### **STANDARD**

EN CE 397: 2012 / ANSI Z89.1

#### **QUANTITY**

40 pieces per carton

#### VK002V



#### **BRAND**

NEW MSA

#### **SHELL MATERIAL**

ABS

#### **SUSPENSION**

4 points textile and adjustable ratchet with round pad on top size range 53-61cm

#### **COLOR**

Blue / Yellow / White / Green / Red









#### **STANDARD**

EN CE 397: 2012 / ANSI Z89.1

#### **QUANTITY**

40 pieces per carton



### Safety Gloves

#### LG019 - Latex Coated Gloves



#### **BRAND**

EAGLE

#### **MATERIAL**

Yellow color cotton shell with orange color wrinkle latex

#### **WEIGHT**

70 gram / pair

#### **QUANTITY**

250 pairs per carton

#### LG015 - Dotted Cotton Gloves



#### **MATERIAL**

Bleached white cotton shell with single side black color PVC dotted

#### **WEIGHT**

54 gram / pair

#### **QUANTITY**

250 pairs per carton

#### ACS-01 - Anti-Cut Gloves



#### **MATERIAL**

Latex cotton 5 Layers cut Level 5 / Heavy Duty

#### **WEIGHT**

100gsm



### Safety **Harness**

#### FP046



#### **MATERIAL**

100% polyester webbing and stainless steel fittings

#### **LANYARD**

Chrome double hook lanyard Length of max. Absorbing 2M Elongation distance Max. 1.75M

#### **STANDARD**

ANSI/ASSE Z359.11-2014 EN361 EN 362 EN354 EN355 EN358



## Safety **Warning**

#### WL016 - Solar Warning Light



**MATERIAL** 

PS + PP

**SOLAR PANEL POWDER** 

0.3W/2V/150MAH

**RECHARGE BATTERY** 

Ni-Mh 1.2V/1200MAH

LED VISIBLE DISTANCE

500M

#### WL022 - Solar Warning Light



**MATERIAL** 

PS + PP

**SOLAR PANEL POWDER** 

0.3W/2V/150MAH

**RECHARGE BATTERY** 

Ni-Mh 1.2V/1200MAH

LED VISIBLE DISTANCE

500M

#### Tf0492 - Traffic baton stick



#### **MATERIAL**

21 inch red blue green lighting led safety



## Fire Fighting

#### FB002 - Fire Blanket



#### **MATERIAL**

100% Glass fiber

#### **THICKNESS**

0.43mm

#### SIZE

 $1.2 \times 1.2 M / 1.8 \times 1.8 M$ 

#### COLOR

White

#### **QUANTITY**

Packing with plastic box 20 pieces per carton

#### FB001 - Fire Blanket



#### **MATERIAL**

100% Glass fiber

#### **THICKNESS**

0.43mm

#### SIZE

 $1.2 \times 1.2 M / 1.8 \times 1.8 M$ 

#### **COLOR**

White

#### **QUANTITY**

Packing with soft PVC bag 20 pieces per carton

#### FB002 - Fire Extinguisher



#### **TYPES**

CO2 – Foam – Powder

#### SIZE

6KG -10KG- 25KG



### Safety Glasses

SG126



#### **MATERIAL**

PC lens and nylon bracket Anti impact / Anti scratch / Ultraviolet proof

#### **WEIGHT**

23g

#### **STANDARD**

CE EN 166F / ANSI Z87.1

#### **QUANTITY**

300 pieces per carton

#### SG0016



#### **MATERIAL**

PC lens and nylon bracket Anti impact / Anti scratch / Ultraviolet proof

#### **WEIGHT**

31g

#### **STANDARD**

CE EN 166F / ANSI Z87.1

#### **QUANTITY**

300 pieces per carton



## Safety Warning Tools

#### TCS-010 - PVC Traffic Cone



#### **DIMENSIONS**

104 x 52 x 104 cm 4.88 Kilograms

#### ITEM MODEL NUMBER

2724590697805

#### MANUFACTURER PART NUMBER

2724590697805

#### **WEIGHT**

4.88 kg

#### TWS-02 - Warning Tape



#### **TYPE**

Double side Printed

#### **DIMENSIONS**

2" - 100 mtr

3" - 200 mtr

#### **Jersey Barriers**



#### **POSITION**

Any Place Need

#### **MATERIAL**

Plastic

#### **FUNCTION**

Separation, Obstruction, Warning, Beautiful

#### **UPRIGHT POST**

1000\*800 mm



### Safety **Suits**

#### B10 - Long sleeve work suit



The blue Work Suit is classic style for work men. It made of polyester fabric, also as customized. It has two chest pockets with button flaps, two side pockets and one sleeve pocket for small tools, one hip pocket insets in the trousers with button closure. (Reflective tape and Logo Can Be Added)

#### **MATERIAL**

Fabric Composition 65% polyester, 35% cotton

#### **FABRIC WEIGHT**

190GSM

#### **SIZE**

S/M/L/XL/2XL/3XL/4XL

#### **COLOR**

Blue / Grey / Khakhi



#### C15 - Long sleeve Coverall



This basic style Work Wear can be customized, like colour and fabric. It has two chest pockets with zipper, two side pockets, two back pockets and one thigh pen pocket. The stress points are reinforced stitching for more durability. (Reflective tape and Logo Can Be Added)

#### **FABRIC COMPOSITION**

65% polyester 35% cotton

#### **FABRIC WEIGHT**

155GSM / 180GSM / 230GSM

#### SIZE

S/M/L/XL/2XL/3XL/4XL

#### COLOR

Blue / Grey / Khakhi











## **EU TYPE**

#### intertek

Issued to

No.88 Chunchao Road, Yinzhou Zone, Ningbo, 315105, China

**Issue Date** 

APPROVED BODY 0362

: 14 December 2023

Certificate No.

herein meets the criteria of an EU Product Reference(s)

with Annex V of the PPE

Type Examination in accordance

The safety footwear detailed

Regulation EU 2016/425 for Category II products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and

examination of the Technical File Documentation.

Following an EU Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance

with Article 17 of the PPE Regulation EU 2016/425 ITS Testing Services (UK) Ltd.

Leicester, LE19 1WD United Kingdom

Phone: +44 (0)116 263 0330

: GREATEAGLE SAFETY PRODUCTS CO., LTD

: 14 December 2018

Expiry Date

: LECFI00372128

: SS6B086

Description

: Construction

Injection Steel Toe Cap

Steel Plate

Toecap Midsole

HX668 Last Sole Double density PU/PU

Mould 8003

See Technical file Test Report(s)

Size Range Category

39-46 : 53 SRC

Centre Court Meridian Business Park Fax: +44 (0)116 263 0311

Date: 14/12/2018

For and on behalf of ITS Testing Services (UK) Limited

intertek.com Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex CM14 5NQ This certificate is for the exclusive use of intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client, Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must

#### Monitoring result for GREATEAGLE SAFETY PRODUCTS(NINGBO) CO.,LTD on site **GREATEAGLE SAFETY PRODUCTS(NINGBO) CO.,** LTD



#### Monitoring

Monitored Party : GREATEAGLE SAFETY PRODUCTS(NINGBO) CO.,LTD

amfori ID

: 156-040569-000

Site : GREATEAGLE SAFETY PRODUCTS(NINGBO) CO., LTD

Site amfori ID : 156-040569-001

Address : Ouchi industrial Zone, Haishu District

> : 315100, Ningbo : Zhejiang Sheng

: China

Monitoring Activity : amfori Social Audit - Manufacturing

Monitoring Type : Full Monitoring Submission Date : 20/09/2022 : 20/09/2023 Expiration Date

> This is an extract of the online monitoring result, generated on 20/09/2022, and is only valid as an acknowledgement of the result. To see all the details, review the full monitoring result, which is available here - The English version is the legally binding one.

amfori does not assume any liability with regard to the compliance of this extract, or any versions of this extract, with the Regulation (EU) 2016/679 (General Data Protection Regulation).

All rights reserved. No part of this publication may be reproduced, translated, stored in a retrieval system, or transmitted, in any form or by any means electronic, mechanical, photocopying, recording or otherwise, be lent, re-sold, hired out or otherwise circulated without the amfori consent.

#### Overall rating



#### Section rating

PA1: Social Management System	D
PA 2: Workers Involvement and Protection	A
PA 3: The Rights of Freedom of Association and Collective Bargaining	A
PA 4: No Discrimination	А
PA 5: Fair Remuneration	A
PA 6: Decent Working Hours	D
PA 7: Occupational Health and Safety	A
PA 8: No Child Labour	A

Safety Products



#### **EU Declaration of Conformity**

PRODUCTTYPE: Occupational footwear

MANUFACTURER: Greateagle Safety Products Co., Ltd.

OUCHI INDUSTRIAL ZONE HAISHU DISTRICT NINGBO CITY

This declaration of conformity is issued under the sole responsibility of the Manufacturer

PRODUCTID: \$\$030,\$\$031,\$\$031-1,\$\$029

CATEGORY: OB SRA PRODUCTIMAGE/S:



The above product is in conformity with the regulation (EU) 2016/425 and is identical to the PPE which is subject of EU certificate...... issued by:

Intertek Italia SpA Via Miglioli, 2/A

Cernusco sul Naviglio (MI), Italy

NB 2575

Relevant Harmonized Standards / Technical Specifications used to which conformity is declared: EN ISO 20347:2012

Signed for on behalf of

Date: Mar 22,2022

Name: Jeffrey.Dong

Position: GM

For and on behalf of

Signature:

Authorized Signature(s)

#### EU Declaration of Conformity

PRODUCT TYPE: SS6B086

MANUFACTURER: GREATEAGLE SAFETY PRODUCTS CO., LTD

PRODUCT ID: SS6B086

PRODUCT IMAGE/S:



The above product is in conformity with the regulation (EU) 2016/425 and is identical to the PPE which is subject of EU certificate issued by:

ITS Testing Services UK Ltd Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom NB 0362

Relevant Harmonized Standards / Technical Specifications used to which conformity is declared:

Signed for on behalf of

GREATEAGLE SAFETY PRODUCTS CO., LTD.

Authorized Signature(s)

#### EU DECLARATION OF CONFORMITY

1.PPE-Industrial Helmet- Model: SH120

2.Name and address of the manufacturer: MANUFACTURER NAME: Greateagle Safety Products Co., Ltd. MANUFACTURER ADDRESS: NO.88 CHUNCHAO ROAD, YINZHOU CENTRAL ZONE, NINGBO 315040, CHINA

3. This declaration of conformity is issued under the sole responsibility of the manufacturer: Greateagle Safety Products Co., Ltd.

4. Object of the declaration:









5. The object of the declaration described in point 4 is in conformity with the relevant Union harmonisation legislation: PPE REGULATION (EU) 2016/425

6. The relevant harmonised standards used: EN 397:2012 +A1:2012

7. The notified body APAVE SUDEUROPE SAS, number 0082, performed the EU type-examination (Module B) and issued the EU type-examination certificate PPE×××××

Signed for and on behalf of: Greateagle Safety Products Co., Ltd.

Position: General Manager

Ningbo, Jan 10th, 2020

# Our Clients























































































